

INDEX MAPS.

T.7N R.1W 2nd Mer.

201		200		200		200		199		199		
203	6	221	5	218	4	214	3	210	2	207	1	196
222		221		217		214		210		206		
202	7	201	8	217	9	213	10	210	11	206	12	196
222		220		217		213		209		206		
202	18	220	17	217	16	213	15	209	14	205	13	196
223		220		216		212		209		205		
201	19	219	20	216	21	212	22	208	23	205	24	195
223		219		215		212		208		204		
201	30	219	29	215	28	211	27	208	26	204	25	195
223		218		215		211		207		204		
201	31	218	32	214	33	211	34	207	35	203	36	195
199		198		198		198		197		197		

T.8N R.1W 2nd Mer.

231		230		230		230		229		229		
233	6	250	5	247	4	243	3	240	2	236	1	229
250		250		247		243		239		236		
232	7	250	8	246	9	243	10	239	11	236	12	228
251		250		246		242		239		235		
232	18	250	17	246	16	242	15	238	14	235	13	228
251		249		245		242		238		235		
232	19	249	20	245	21	241	22	238	23	234	24	227
251		249		245		241		237		234		
231	30	248	29	244	28	240	27	237	26	234	25	227
252		248		244		240		237		233		
231	31	247	32	244	33	240	34	237	35	233	36	226
226		226		226		225		225		225		

The figures on the lines refer to the page.

Township N^o 8 North of Range N^o 1 W. 3rd 1st Ind.
Ch. lks South Boundary.

April 2nd 1811.

West From the cor of Towne 718 N^o 1 E 11 W. 2nd 1/2
South side of sw 36. T. N^o 8 N. R. N^o 1 W.

40.00 Set a post for the cor to 1/4 sec. from which a W. Oak
10 in. dia bears N 83 W. 30 links dist; & a 10 in. dia
18 in. " " N 83 E. 19 in. " "

42.00 To a Brook 8 links wide; course S. E.

80.00 Set a post for the cor to sec. 35. 136 T. N^o 8 N.
R. N^o 1 W. from which a Hewitt 3 in dia bears
N 62 E. 3 links dist; & a W. Oak 20 in. " "
N 32 W 18 in. " " Per Hilby Oak, lands:

West On the South bounds of sw 35. T. N^o 8 N. R. N^o 1 W.

39.00 To a Brook 25 links wide; course South.

40.00 Set a post for the cor. to 1/4 sec. from which a
Butternut 6 in. dia bears N 57 W 10 links dist; & a
W. Buck 3 in. " " S 59 E 14 in. " "

80.00 Set a post for the cor. to sec. 34 & 35 T. N^o 8 N. R.
N^o 1 W. from which a Buck 5 in dia bears N 72 W
11 links dist; and a Hewitt 11 in. " " S 4 E
21 in. " " Lands including good; Timber
Buck. Sugar &c.

West On the South Boundary of Sec. 34 T. N^o 8 N. R. N^o
1 W.

13.50 To a Brook 8 links wide; course N. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in. dia bears N 31 E. 10 links dist; & a
Buck 4 in. " " S 45 W 25 in. " "

80.00 Set a post for the cor. to sec. 33 & 34 T. N^o 8 N. R.
N^o 1 W. from which a Sugar 18 in. dia bears
N 35 W. 27 links dist; & a Buck 10 in. " "
S 28 E 5 in. " " Land same as the last
mile

T. N^o 8 N. R. N^o 177. 2nd Mer. (Ind.)

- West On the South Boundary of sw 33 T. N^o 8 N. R. N^o 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 8 in. dia bears N 42 W. 12 inches dist; & a
 Buck 9 in " " S 44 E 26 in "
 57.50 To a Brook 10 inches wide; Course South.
 80.00 Set a post for the cor. to sec. 32, 33. T. N^o 8 N.
 R. N^o 177. from which a Buck 14 in. dia bears
 N 80 E. 7 inches dist; & a Sugar 10 in " "
 S 45 W 20 in " " Sand Spruce; Timber,
 Buck, W. Oak, Hickory &c

- West On the South Boundary of sec. 32, T. N^o 8. N. R. N^o 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 13 in. dia bears N 54 E. 6 inches dist; & a
 Log. mode 4 in " " S 27 W 22 in "
 66.50 To a Brook 8 inches wide; Course South.
 80.00 Set a post for the cor. to sec. 31. & 32. T. N^o 8 N.
 R. N^o 177. from which a Buck 4 in. dia bears
 S 70 E. 12 inches dist; & a Buck 4 in " "
 West 13 in " " Buck lands; spruce.

- West On the South Boundary of sec. 31. T. N^o 8 N.
 R. N^o 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 6 in. dia bears N 52 E 3 inches dist; & a
 Do 4 in " " S 65 W 16 in "
 56.50 To a Brook 75 inches wide; Course S. E.
 80.00 Set a temporary post for the cor. to Towns 7 & 8
 N. R. 112, W. Land rich and level; Timber
 Sugar, Oak, Walnut;

East Boundary: 2nd Meridian
 North On the 2nd Mer. East Boundary of sec. 36. T. N^o 8 N.
 R. N^o 177.

T. N. 8 N. R. N. 17. 2nd Mer (S. a.)

- 15.00 To a Brook 4 miles wide; course E.
 25.00 " " " 4 " " " E.
 40.00 Set a post for the cor to 14 sec. from which a
 Buck 24 in. dia bears N 38 E. 12 miles dist; & a
 Ironworks 9 " " S 38 W 22 " "
 65.00 To a Brook 4 miles wide course E.
 70.00 " " " 21 " " " S. E.
 80.00 Set a post for the cor to sec. 25 136. T. N. 8 N.
 R. N. 17. from which a Sugar 12 in. dia bears
 S 78 W. 25 miles dist; & a Lycopodium 36 " "
 N 87 E. 25 " " Lunde Wilby; Timber Lake

North On the 2nd Mer. East side of sec. 25. T. N. 8 N. R.
 N. 17.

- 100 To a Brook 40 miles wide; course S. W.
 15.00 " " " " " " " S. E.
 35.00 " " " " " " " S. W.
 40.00 Set a post for the cor to 14 sec. in a Brook from
 which a Sugar 16 in. dia bears East 15 the dist;
 by the Brook to the West.
 45.00 To a Brook 6 miles wide; course S. W.
 80.00 Set a post at the cor for sec. 24 & 25 T. N. 8 N.
 R. N. 17 from which a Sugar 10 in. dia bears
 N 50 E. 16 miles dist; & a Dogwood 4 " "
 S 76 W. 23 " " Bottom land; Timber
 Sugar, Buck, Elm, &c

North On the 2nd Mer. East side of sec. 24 T. N. 8 N.
 R. N. 17.

- 15.00 To a Brook 6 the wide; course S. W.
 40.00 Set a post for the cor. to 14 sec. from which a
 W. Oak 24 in. dia bears S 82 W. 6 miles dist; & a
 Maple 8 " " " S 78 E. 5 " "
 50.00 To a Brook 6 the wide; course S. W.
 51.30 " " Sugar 16 in. dia stands in the river.
 55.00 To a Brook - the wide; course S. E.

T. No 8 N.W. No 17. 2nd Mer. (Ind.)

Kept up the Brook to the cor. then left it to the
West

- 80.00 Set a post for the cor. to Sec 13 & 24 T. No 8 N.
W. No 17. From which a Buck 18 in. dia bears
N 53 E. 16 links north; & a Do 18 in. -
S 58 W 33 in. - Sand 1/4 mile north
Tinto Buck, Sugar, &c; 2nd 1/2 in Buck
Heads.

North On the 2nd Mer. East Boundary of Sec 13 T. No
8 N.W. No 17.

- 40.00 Set a post for the cor. to 1/4 Sec. From which a
Buck 8 in. dia bears S 74 W. 9 links north; & a
W Oak 12 in. - S 39 E 23 in. -

69.75 To a Sugar 15 in. dia stands in the line.

- 80.00 Set a post for the cor. to Sec 12 & 13 T. No 8.
N. W. No 17. From which a Buck 12 in. dia
bears N 20 E. 31 links north; & a Sugar 24 in. -
- S 2 E. 60 in. - Level Sugar lands;

North On the 2nd Mer. East Boundary of Sec. 12, T. No
8 N.W. No 17.

- 15.00 To a Apple 30 in. dia bears in the line

35.00 - - Brook 3 links north; Course E.

- 40.00 Set a post for the cor. to 1/4 Sec. From which a
W. Oak 36 in. dia bears N 10 E 12 links north; &
Sugar 6 in. - - S 62 E. 21 in. -

45.00 To a Brook 3 links north; Course E.

60.00 - - - 3 in. - - - E.

72.50 To a Sugar 14 in. dia stands in the line.

78.00 - - Brook 6 links north; Course E.

- 80.00 Set a post for the cor. to Sec. 1 & 12 T. No 8 N.W. No 17.
From which a Sugar 8 in. dia bears S 13 E. 6 links
north; and a Buck 12 in. - N 16 W 26 in.
- Union lands; Tinto Sugar Buck &
Oak;

T. No 8 N.R. No 17. 2nd Mer. (Ind.)

North On the 2nd Mer. East Boundary of Sec 1 T. No 8 N.
R. No 17.

26.40 To a Sugar 15 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sug 8 in. dia base S 64 W. 25 links dist; & a
Post 15 n - - - N 64 E. 34 n -

40.20 To a Post 10 links wide; Course E.

60.00 " " 10 n - - - E.

80.00 Set a temporary post for the cor. to T. No 8 & 9 N.
R. No 16 & 17. Level Sugar tree lands;

Established this cor. 100 links South of the temp
post; from which a Butternut 12 in. dia base
N 34 E. 12 links dist; & Sugar 13 n - -
S 14 E 37 n -

North Boundary.

April 3. 1811 Then East from the temporary post
cor to Secs 8 & 9 N.R. No 1 & 2 W. between T. No 8 & 9
6 miles and fell 4 ch. N. of the T. cor.

Corrected and marked the line N. between T. No
8 & 9 - R. No 17.

West On the South Boundary of Sec. 36. T. No 9 N.R. No 17.

27.00 To a Post 10 links wide; Course NE.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 30 in. dia base N 50 W. 28 links dist; & a
Post 12 n - - - S 80 E 19 n -

80.00 Set a post for the cor. to Sec. 35 & 36 T. No 9 N.R.
No 17 from which a Post 18 in. dia base S 70 W
24 links dist; & a Hickory 10 n - - - N 50 E
7 n - - - Lands level rich & Post timbered

West On the South Boundary of Sec. 35. T. No 9 N.R. No 17.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
a Sugar 14 in. dia base S 69 E. 13 links dist; & a
Do 11 n - - - N 37 W 21 n -

77.50 To a Post 8 links wide; Course N.

T. N. 8 N.R. No. 177. 2nd Sec. (Ch. 10)

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9 N.
 R. No. 177. from which a Buck 12 in. dia. bears
 S 38 N. 31 miles dist; & a Do 11 " "
 N 8 E 13 " "
 Sand & dirt timber & so forth same as on the last mile

West On the South Boundary of Sec. 34 T. N. 9 N.R.
 No. 177.

40.00 Set a post for the cor. to Sec. 34. from which a
 Sugar 14 in. dia. bears N 66 N. 21 miles dist; & a
 Do 5 " " " S 40 E. 22 " "

71.00 To a Burr 10 1/2 miles wide; Course N.W.

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9 N.
 R. No. 177. from which a Buck 5 in. dia. bears
 N 39 N. 25 miles dist; under a Buck 16 " "
 S 48 E. 35 " " Sand & dirt as with
 Timber Sugar & Oak;

West On the South Boundary of Sec. 33. T. N. 9 N.R. No. 177

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sugar 14 in. dia. bears N 69 E. 10 miles dist; & a
 Do 10 " " " S 65 N. 46 " "

54.00 To a locate 50 miles wide; Course South.

73.50 " " " 25 " " " S.E.

80.00 Set a post for the cor. to Sec. 32 & 33. T. N. 9 N.
 R. No. 177. from which a Buck 20 in. dia. bears
 N 22 E. 12 miles dist; and a Do 36 " "
 S 31 N. 36 " "
 Sand & dirt timber &c same as on the last mile.

West On the South Side of Sec. 32 T. N. 9 N.R. No. 177

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sugar 5 in. dia. bears S 60 E. 10 miles dist; & a
 Oak 14 " " " N 84 N. 18 " "

53.50 To a Burr 20 in. dia. Course S.E.

80.00 Set a post for the cor. to Sec. 31 & 32 from

T. N. 8 N.R. N. 1 W. 3rd Mer. Ind.

Whisker 14 in. dia. base N 72 W. 20 lbs dia
and a Buck 4 n n - S 60 E 19 n -
First rate lands: Timber Sugar, Ash, Walnut;

West On the South Side of Sec 31. T. N. 9 N.R. N. 1 W.
40.00 Set a post for the cor. to 74 sec. from which a
W Oak 16 in. dia. base S 70 E. 17 miles dist; & a
Logan 3 n - - - N 64 W 15 n -
80.00 Measure the Swampy part 201 in. 120 ft. to the cor.
from T. N. 8 & 9 N.R. 1 & 2 W. from which a
Buck 13 in. dia. base N 26 E 18 miles dist; & a
W Oak 16 n n - - S 46 W 32 n -
Good Oak Lands

West Boundary

North From the cor. to Town 7. & 8 N.R. 1 & 2 W.
on the E. Boundary of Sec 36. T. N. 8 N.R. N. 2 W.
15.00 To a brook 50 miles wide; hence S.E.
40.00 Set a post for the cor. to 74 sec. from which a
Buck 13 in. dia. base S 60 E. 17 miles dist; & a
Do 15 n - - - N 40 W 15 n -
55.50 To an Oak 16 in. dia. base in the line.
80.00 Set a post for the cor. to the sec. 25 & 36 T. N. 8 N.
R. N. 2 W. from which a Logan 14 in. dia.
base N 60 E. 10 miles dist; & a Buck 18 n n -
- S 15 W. 27 n - - Lands 1st rate; Timber
Sugar Walnut Ash, &c

North On the East Boundary of Sec. 25. T. N. 8 N.R. N. 1 W.
16.50 To a brook 8 miles wide; hence East
28.00 n n Buck 40 in. dia. stands in the line.
40.00 Set a post for the cor. to 74 sec from which a
Sugar 13 in. dia. base S 34 E. 20 miles dist; & a
Buck 8 n n - - N 65 W 26 n -
44.00 To a brook 60 miles wide hence S.E.

T. N^o 8 N.R. N^o 17. 2nd Mer. (Ind. a)

80.00 Set a post for the cor. to sec. 34 & 25 T. N^o 8
N.R. N^o 27. From which a Sugar 13 in dia bears
N 55 E. 11 links dist; & a " 20 14 " " "
S 43 W. 24 " " Lando timber & some ash the
last mile.

North On the East Boundary of sec. 24 T. N^o 8 N.R. N^o
27.

18.00 To a W. Oak 20 in. dia stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 16 in. dia bears S 78 W. 14 links dist; & a
" Buck 3 " " " N 10 E 13 " "

80.00 Set a post for the cor. to sec. 13 & 24 T. N^o 8. T.
N. N^o 27. from which a Sugar 13 in. dia bears
N 66 E. 4 links dist; & a " 20 6 " " "
N 16 W. 24 " " Lando of muddling quality
timber Buck, Sugar, & Poplar.

North On the East Boundary of sec. 13. T. N^o 8 N.R.
N^o 27.

40.00 Set a post for the cor. to 1/4 sec. from which a
W Oak 16 in. dia. bears S 52 W. 37 links dist; & a
" Lager oak 6 " " " N 47 E 13 " "

69.00 To a Buck 8 links dist; Lando S.E.

78.00 " Sugar 13 links dist. in the line.

80.00 Set a post for the cor. to sec. 12 & 13. T. N^o 8 N.
R. N^o 27. from which an Ash 6 in. dia bears
N 30 W 11 links dist; & an W Oak 5 " " "
S 66 E. 18 " " Lando 2nd rate; Lando
Oak, & Poplar.

North On the East side of sec 13 T. N^o 8 N.R. N^o 27.

23.50 To a Buck 14 in. dia bears stands in the line.

35.00 To a Spring run 20 links wide; a Rattle Snake
den at the head

40.00 Set a post for a cor. to 1/4 sec. from a Poplar 40

T No 8 N.R. No 177. 2nd M.

- in air line N 65 E 8 miles dist. to Poplar 86
 " " " N 54 W. 24 " "
 80.00 Set a post for the cor. to Sec. 1 & 19 T. No 8 N.R.
 No 2 W. from which a Logwood 4 in. dia. has
 560 W 7 miles dist; to N. Oak 30 " "
 440 E. 5 " "
 Good Oak, land 80

- North On the East side of Sec 1 T No 8 N.R. No 27
 28.50 To a N. Oak 36 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 N. Oak 10 in. dia. has 56 W. 11 miles dist. to
 Poplar 40 " " N 31 E. 7 " "
 57.50 To an N. Oak 30 in. dia. in the line.
 81.00 Set a temporary post for the cor. to Town 8 & 9 N.
 No 10 2 W Good grade land. Timber Oak.

Subdivisions

- North Western Sec. 35 & 36. T No 8 N.R. No 177.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 15 in. dia. has N 30 E. 28 miles dist; to
 Do 15 " " N 31 W. 32. " "
 80.00 Set a post for the cor. to Sec. 25, 26, 35 & 36.
 from which a Maple 10 in. dia. has N 16 W 3
 miles dist; to Buck 3 " " N 32 W 4
 " "
 Good hilly, thin soil; Timber Oak, & Hickory

- East On a Random line between Sec. 25 & 36.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 49.00 To a Buck 25 in. dia. near South.
 80.00 Introduced the N & S line 10 miles N. of the post
 for the cor. to Sec. 25 & 36.
 Good soil timber same as in the last mile.

T. No. 8 N.W. No. 177. 2nd Mer. (Ind. 2)

West True line between Sec. 12 & 13.

3978 ft. Set 1/4 sec post at the aver. creek on true line
from which a Buck 12 N 56 E. 8

Co 12 N 65 W 27

79.57 Sec. Cor.

North Between Sec. 11. & 12

38.00 Spring. N.W.

40.00 Set a 1/4 sec post from which a

Buck 20 in. line N 27 W. 24

Sage 10 in. N 54 W 36

80.00 Set a post for cor. to Sec. 1, 2, 11, 12 from which
a Buck 4 N 35 E. 4

Co 5 N 30 W 11

Sand & Stone

East Warm arm between 1 & 2

40.00 Set temporary 1/4 post

78.70 Enter section the N.P.S. line 44 links South of the
Sec. Cor. Sand & Stone

West On a true line between 1 & 2

39.35 Set 1/4 sec post at aver. creek; on the true line
from which a Buck 5 N 76 E 7

Co 6 S 76 W 20

78.70 Sec. Cor.

North Between 1 & 2

40.00 Set 1/4 sec post from which on

Ironwood 3 in. dia N 40 E. 15

Sage 7 in. N 14 W 26

77.34 Set a post on the N.B. boundary 170 links E.
of Sec. cor. from which a

Sage 25 N 36 W. 13

Buck 14 N 45 W 5

Sand & Stone

T. No 8 N.R. No 177. 2nd Mer. (Ind.?)

North Between Sec. 34 & 35. T. No 8 N.R. No 177.
17.00 To a Brook 12 miles wide; corner S.
40.00 Set a post for the cor. to 1/4 sec. from which is
a Buck 8 in. air beam N 13 E. 13 miles dist; & a
No 18 n n n S 23 N. 30 n n
80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from which
an Oak 6 in. air beam East 15 miles dist; & a
No 8 n n n N 59 E. 19 n n
Sands and timber & v same as the last mile.

East On a Meridian line between Sec. 26 & 35. T. No 8 N.R. No 177.
1.00 To a Brook 10 miles wide; corner S.W.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.80 Intersect the N & S line 10 miles S of the cor. for
Sec. 25, 26, 35 & 36. Sands and timber & v same

West On a true line between Sec. 26 & 35. T. No 8 N.R. No 177.
39.90 Set the temporary post for the cor. to 1/4 sec. at the
corr. on the true line. from which is
Sugar 10 in. air beam S 68 N. 17 miles dist; & a
Buck 17 n n n S 37 E. 12 n n
79.80 To the post for the cor. to Sec. 26, 27, 34 & 35

North Between Sec. 26 & 27. T. No 8 N.R. No 177.
40.00 Set a post for the cor. to 1/4 sec. from which is
Sugar 10 in. air beam S 4 E. 20 miles dist; & a
Buck 12 n n n N 31 N. 5 n n
80.00 Set a post for the cor. to Sec. 22, 23, 26, 27. from
which a Hick 18 in. air beam S 35 E. 15 miles dist;
and a Dogwood 5 n n N 82 N. 4 n n
Sands same as on the last mile.

East Between Sec. 23 & 26 on a Meridian. T. No 8 N.R. No 177.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.75 Intersect the N & S line 47 miles S of cor. to Sec.
23, 24, 25, & 26. Sands the same

T. N^o 8 N.R. N^o 177. 2nd Mer. (Ind^d)

West Between Sep. 23 & 26 On a true line: T. N^o 8 N.R. N^o 177.
 39.87½ Set the timber post at the aver. dist. on the true
 line for the cor. to ¼ sec. from which a
 Sugar 8 in. dia beam S 27 W. 24 links east; 1 a
 110 10 n n n N 22 W 20 n n
 79.75 To the post set for the cor. 22, 23, 26, 27.

North Between Sep. 22, & 23 T. N^o 8 N.R. N^o 177.
 40.00 Set a post for the cor. to ¼ sec. from which a
 Buck 10 in. dia beam S 37 E. 6 links east; 1 a
 N 18 n n n S 12 W. 15 n n
 80.00 Set a post for the cor. of sec. 14, 15, 23, & 24
 from which a Buck 6 in. dia beam N 82 E. 10 links
 east; 1 a Sugar 18 n n n S 11 W. 30 n
 n Same same as the last one.

East On a true line between Sep. 14 & 23 T. N^o 8 N.R. N^o 177.
 40.00 Set a timber post for the cor. to ¼ sec.
 79.80 Introduced N & S line 12 miles N of the post set
 for the cor. to Sep. 13, 14, 23, 24.
 Same line timber &c same as the last one.

West Between Sep. 14 & 23 On a true line T. N^o 8 N.R. N^o 177.
 39.90 Set the timber post at the aver. dist. on the true line
 for the cor. to ¼ sec. from which a
 Buck 6 in. dia beam S 87 E. 7 links east; 1 a
 110 20 n n n N 87 W 24 n n
 79.80 To the cor. of sec. 14, 15, 23, & 24.

North Between Sep. 14 & 15 T. N^o 8 N.R. N^o 177.
 10.00 To a B. wood 8 miles wide: Corner West.
 31.50 n n n 12 n n n n
 40.00 Set a post for the cor. to ¼ sec. from which a
 Sugar 8 in. dia beam S 34 E. 16 links east; 1 a
 110 10 n n n N 46 W. 6 n n
 80.00 Set a post for the cor. to Sep. 10, 11, 14, & 15

T. No 8 N.R. No 1st N. Ind. Terr. (Ind. Co.)

From which a Sugar 8 in. dia head N 84 W 11 the
 dish; and a Logor? 6 in ~ N 61 E. 15 ~
 ~ Sando the same as on the last mile.

East On a Random line between Sec. 11. & 14 T. 8 N. R. 1 W.
 33.50 To a Brook 10 miles wide; Course E N.
 40.00 Set a temp. post for the cor. to 1/4 sec.
 79.80 Intersected the N. & S. line 58 miles N. of the cor.
 Sando same as on the last mile.

West Between Sec. 11. & 14 on the true line T. 8 N. R. 1 W.
 39.90 Set a post at the cor. on the true line for the
 cor. to 1/4 sec. From which a Buck 10 in. dia head
 S 64 E. 20 miles wide; & a Do 8 ~ ~ ~
 S 42 W. 20 ~ ~ ~
 79.80 To the cor. of sec. 10. 11. 14. 15.

N. W. Between Sec. 10. & 11 T. No 8 N. R. No 1 W.
 33.00 To a Brook 18 miles wide; Course N.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Sugar 8 in dia head S 50 E. 21 miles wide; & a
 Ironwood 5 ~ ~ ~ N 30 E. 5 ~ ~ ~
 42.00 To a Brook 20 miles wide; Course S. E.
 50.00 ~ ~ ~ Do ~ ~ ~ ~ ~ S. E.
 58.00 ~ ~ ~ Do ~ ~ ~ ~ ~ S. E.
 62.00 To a Brook 10 miles wide; Course S. E.
 80.00 Set a post for the cor. to sec. 2, 3, 10. & 11. From which
 a Buck 6 in. dia head S 14 E. 11 miles wide; & a
 Do 6 ~ ~ ~ N 61 W 14 ~ ~ ~
 Sando same as on the last mile.

East On a Random line between Sec. 2. & 11 T. 8 N. R. No 1 W.
 3.00 To a Brook 18 miles wide; Course E N.
 12.00 ~ ~ ~ Do 10 ~ ~ ~ ~ ~ S. W.
 40.00 Set a temp. post for the cor. to 1/4 sec.
 80.12 Intersected the N. & S. line 20 miles South of the

T. No 8 N.R. No. 1 E. 2nd Mer. Sec. 2

Just set for the cor. to Sec. 1, 2, 11, 12.

Land &c same as on the last mile;

West On the true line between Sec. 2 & 11. T. No 8 N.R. No. 1 E.
40.00 Set the temporary post at the avor. dist; in the true
line for the cor. to $\frac{1}{4}$ sec. from which a
YBuck 12 in. dia. hard N 45 W. 6 links dist; & a
do 10 " " " N 9 W. 13 " "
56.12 To the post set for the cor. to Sec. 2, 3, 10, & 11

North Between Sec. 2 & 3. T. No 8 N.R. No. 1 E.
40.00 Set a post for cor. to $\frac{1}{4}$ sec. from which a
YBuck 18 in. dia. hard N 18 W. 9 links dist; & a
do 8 " " " N 29 E. 15 " "
75.80 Set a post on the N. 73rd middle (309 links E.
of the cor. to Sec. 34, 35 T. No 9 N.R. No. 1 E.)
from which a Sugar 12 in. dia. hard N 60 E. 17 links
dist; & a do 10 " " " N 80 W. 27.
Land &c same as on the last mile.

North Between Sec. 33, 34 T. No 8 N.R. No. 1 E.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hick 12 in. dia. hard S 34 W. 22 links dist; & a
Poplar 4 " " " N 60 W. 9 " "
80.00 Set a post for the cor. to Sec. 27, 28, 33, 34
from which a YBuck 8 in. dia. hard N 81 E 26 links
and a do 8 " " " N 72 W 14 " "
Land rolling; timber, walnut, Sugar, YBuck, Oak
& Hick

East On a Random line between Sec. 27, 34 T. No 8 N.R. No. 1 E.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00 Enter section the N. & S. line at the post set for the
cor. to Sec. 26, 27, 34, & 35
Land &c same as on the last mile

T. N. 8 N. R. N. 1 W. 2nd Mer. (Ind.)

West On the true line between Sec. 27, 28 & 34 T. 8 N. R. 1 W.
 40.00 Set the temporary post at the aver. dist. on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 29 in. dia bears S 8 E 28 miles dist. & a
 Chapin 8 " " " S 88 W 24 " "
 80.50 To the cor. of sec. 27, 28, 33, & 34.

North Between Sec. 27, 28 T. N. 8 N. R. N. 1 W.
 26.00 To a Spring: W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Chapin 5 in. dia bears S 27 W 18 miles dist. and a
 Buck 4 " " " N 36 E 22, " "
 80.00 Set a post for the cor. to sec. 21, 22, 27, 28. from
 which a Buck 5 in. dia bears N 26 W 6 like dist.
 and a Do 10 " " " S 27 E 26 " "
 Sande soil timber &c same as on the line

East On a Random line between Sec. 22, 27 T. N. 8 N. R. N.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.12 Then set the N 8 S line 10 miles South of the post
 set for the cor. to sec. 22, 23, 26, & 27
 Sande timber &c same as on the last mile.

West On a true line between Sec. 22, 27 T. 8 N. R. N. 1 W.
 40.06 Set the temporary post at the aver. dist. on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Oak 30 in. dia bears N 35 E 30 miles dist. & a
 Ash 15 " " " S 12 E 30 " "
 80.10 To the cor. 21, 22, 27 & 28.

North Between Sec. 21 & 22 T. N. 8 N. R. N. 1 W.
 30.00 To a Brook 15 miles wide; course E. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 12 in. dia bears S 63 W 13 miles dist. & a
 Buckeye 10 " " " N 57 W 25 " "
 61.00 To a Brook 6 miles wide; course E.

T. N. 8 N. R. N. 17. 2nd Mer. (Ind. 2)

80.00 Set a post for the cor to Sect. 15, 16, 21, & 22
from which a Buck 20 mi. dist bears N 15 E. 5
miles dist; & a 100 20 ~ ~ ~ S 81 E 30
~ ~ Sande a little riding under dist; Timber
Poplar, ash, Elm & Gum

East On a Random line between Sect. 15 & 22 T. 8 N. R. 17.

7.00 To a Brook 6 miles wide; Course S

16.00 ~ ~ ~ 30 ~ ~ ~ ~ ~

40.00 Set a temporary post for the cor to 1/4 sec

80.00 Intersected the N & S line 10 miles S. of the post
set for the cor. 14, 15, 22, 23

Sande soil timber &c same as the last mile.

West On the true line between Sect. 15 & 22 T. 8 N. R. 17.

40.00 Set the temporary post at the aver. dist; on the true line
for the cor. to 1/4 sec. From which a Sugar 9 mi. dist
bears S 76 W. 10 miles dist; & a No 8 ~ ~

~ N 15 E. 7 ~ ~

80.00 To the post set for the cor to Sect. 15, 16, 21, & 22

North Between Sect. 15 & 16 T. 8 N. R. N. 17.

40.00 Set a post for the cor to 1/4 sec. From which a
Buck 10 mi. dist bears S 27 W. 19 miles dist; & a
No 10 ~ ~ ~ N 60 E. 30 ~ ~

63.00 To a Buck 12 mi. dist in the line.

80.00 Set a post for the cor to Sect. 9, 10, 15, 16, from
which a Buck 8 mi. dist bears N 60 W. 15 miles dist
and a No 18 ~ ~ ~ N 57 E. 17 ~ ~
Sande soil timber &c same as on the last mile

East On a Random line between Sect. 10 & 15 T. 8 N. R. 17.

35.00 To a Brook 7 miles wide; Course S.E.

40.00 Set a temporary post for the cor. to 1/4 sec.

41.50 To a Brook 10 miles wide; Course S.

79.76 Intersected the N & S line 11 miles N of cor to Sect.

T. No 8 N.R. No 1-11. Small Town. (Ind. a.)

10. 11. 14. 15 Same the same as on the last mile

West On a true line between Sec. 10 & 15 T. No 8 N.R. No 1-11.
39.88 Set a temporary post at the av. dist. on the true line
for the cor. to 1/4 sec. from which a
Buck 10 in. dia beam S 77° 15' N. 15' W. dist. 10
Sugar 4 in. dia beam N 31° E. 15' W. dist. 10
79.76 To the cor. of sec. 9. 10. 15. & 16.

North Between Sec. 9 & 10. T. No 8 N.R. No 1-11.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 8 in. dia beam S 48° 15' N. 15' W. dist. 10
Sugar 8 in. dia beam N 9° E. 15' W. dist. 10
54.50 To a Buck 18 in. dia beam in the line
80.00 Set a post for the cor. to sec. 3. 4. 9. 10 from which
a Buck 8 in. dia beam N 52° E. 7' W. dist. 10
Do 5 in. dia beam S 20° N. 21' W. dist. 10
Same timber as on the last mile

East On a Random line between Sec. 3 & 10. T. No 8 N.R. No 1-11.
40.00 Set a temporary post for the cor. to 1/4 sec.
58.00 To a Buck 10 in. dia beam; Course South.
79.66 Intersected the N.P.S. line 22 miles North of the
post set for the cor. to sec. 2, 3, 10, 11.
Same timber as on the last mile.

West On a true line between Sec. 3 & 10 T. No 8 N.R. No 1-11.
39.83 Set the temporary post at the av. dist. on the true line
for the cor. to 1/4 sec. from which a Buck 4 in. dia
beam S 46° E. 34' W. dist. 10 and a Do 6 in. dia
beam S 18° N. 32' W. dist. 10
79.66 To the cor.

North Between Sec. 3 & 4 T. No 8 N.R. No 1-11.
40.00 Set the post for the cor. to 1/4 sec. from which a
Poplar 6 in. dia beam S 5° E. 7' W. dist. 10 and a

T. No 8 N.R. No 177. 2nd Mer. (Ind. a)

- Back 4 mi. all bare S 77 E. 11 miles out;
 48.50 To a Wash 30 mi. all stands in the line
 74.50 Set a post on the N. 7 Ponds (4 37 miles East of
 the post for cor. to sec. 33, 34 T. No 9. N.R. 177)
 from which a Back 30 mi. all bare N 20 W. 28
 miles out; to a Sec. 15 a - - N 30 E. 26
 a - - Lands all timber & same

- North Between Sec. 32, 33. T. No 8 N.R. No 177.
 17.50 To a Spring. Course N.
 40.00 Set a post for the cor. to 74 sec. from which an
 Elm 12 mi. all stands for the cor.
 57.50 To a Spring 7 Brooks 6 miles Course N.
 80.00 Set a post for the cor. to sec. 28, 29, 32, 33 from
 which a Sugar 12 mi. all bare S 88 E 32 the dist;
 and an Elm 18 a - - S 55 W. 14 a -
 Lands the same as the last mile.

- East Between Sec. 28 & 33. On a Random line T. No 8
 N.R. No 177.
 20.00 To a Brook 4 miles wide; Course N.
 40.00 Set a temporary post for the cor. to 74 sec.
 70.50 To a Brook 10 miles wide; Course N.
 80.00 Introduced the N. & S. line 28 miles North of the post
 set for the cor. to sec. 27, 28, 33, & 34.

- West On a true line between Sec. 28 & 33. T. No 8 N.R. No 177.
 40.00 Set the temporary post at the avor. east on the true line
 for the cor. to 74 sec. from which a W. Oak 8 mi. all
 bare N 82 E. 22 miles out; to a Back 8 a - -
 a - - N 53 E. 12 a - -
 80.00 To the post for cor. to sec. 28, 29, 32 & 33.

- North Between Sec. 28 & 29 T. No 8 N.R. No 177.
 7.50 To a Brook 12 miles wide; Course S. W.
 40.00 Set a post for the cor. to 74 sec. from which an

T. N. 8. N. R. N. 1 W. 2nd Mer. (Ind. 9)

Buck 4 in. dia bears S 10 W. 3 links dash; and a
 Elm 8 " " " N 39 E. 23 " "
 50.00 To a Brook 25 links dash; Cross S. W.
 54.00 " " " 25 " " " S. E.
 80.00 Set a post for the cor. of sec. 20, 21, 28, & 29. From
 which a W. Walnut 15 in. dia bears S 9 E 6 links
 and a Sugar 9 " " " N 50 W 11 " "
 Same same as in the last mile.

East Between Sec. 20 & 21 On a Random line T. N. 8. N. R. N. 1 W.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 49.50 To a Brook 25 links dash; Cross S. W.
 74.50 " " " 10 " " " S. W.
 79.90 Intersection the N. P. S. line 10 links S. of the post
 for the cor. of sec. 21, 22, 27, & 28.
 Same the same as in the last mile;

West On a true line between Sec. 21 & 28 T. 8. N. R. N. 1 W.
 39.95 Set the temporary post at the ar. dash; on the true line
 for the cor. to 1/4 sec. From which a
 W. Oak 30 in. dia bears N 20 E 10 links dash; & a
 Buck 35 " " " S 47 E. 25 " "
 79.90 To the cor. of sec. 20, 21, 28 & 29

North Between Sec. 20 & 21 T. N. 8. N. R. N. 1 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 8 in. dia bears N 87 W. 11 links dash; & a
 Do 5 " " " S 26 E. 17 " "
 80.00 Set the post for the cor. to sec. 16, 17, 20, & 21
 from which a Sugar 20 in. dia bears S 45 E 27
 links dash; and Do 18 " " " N 41 W 21
 " " Same same as in the last mile;

East On a Random line between Sec. 16 & 21 T. 8. N. R. N. 1 W.
 40.00 Set the temporary post for the cor. to 1/4 sec.
 80.00 Intersection the N. P. S. line ^{1/2 link south of the post set} for the cor. to 1/4 sec.

T. No 8 N.R. No 1 W. 2nd Mer. (Ind.)

15. 16, 21, & 22 Same as the last mile

West On a true line between Sep. 16, & 21 T. No 8 N.R. 17
 40.00 Set the temporary post at the aver. dist on the true line
 for the cor to 1/4 sec. from which a Buck 5 mi.
 dia bears N 31 E. 4 miles dist; & on dist 5 a
 " " S 60 W 11 " "
 80.00 Set the post for the cor to Sep. 16, 17, 20, & 21

North Between Sep. 16, & 17

10.00 To a Brook 15 miles dist; course S. W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 36 mi. dia bears N 57 W. 23 miles dist;
 & on dist 15 " " S 30 E 6 " "
 52.00 To a Brook 10. course E.
 80.00 Set a post for the cor to Sep. 8, 9, 16, & 17, from
 which a Buck 10 mi dia bears S 63 E. 28 miles
 dist; & on dist 15 " " S 49 W 9 " "
 " Same as the last mile.

East On a Random line between Sep. 9, & 16.

12.00 To a Brook 10 course S. W.
 32.50 " " " 8 " S. W.
 40.00 Set a temporary post for the cor to 1/4 sec.
 80.00 Intersect the N. P. S. at the cor for Sep. 9, 10, 15 &
 16. Same as the last mile.

West Between Sep. 9, & 16 On a true line

40.00 Set the temporary post at the aver. dist on the true
 line for the cor to 1/4 sec. from which a
 W Oak 15 mi. dia bears S 57 W. 7 miles dist; & on
 dist 12 " " N 23 W. 26 " "
 80.00 Set a post for cor to Sep. 8, 9, 16, & 17.

North Between Sep. 8 & 9

40.00 Set a post for the cor. to 1/4 sec. from which a

T. N. 8 N. R. M. 17. Good Nur. (Ch. a. a.)

Auger 18 in. dia bore N 75 E 11 miles dist; 10
 Lg 15 " " " S 11 N. 47 " "
 64.50 To a Auger 15 in dia in the line.
 66.00 To a Brook 11 M. S. E.
 80.00 Got a post for the cor. to Sec. 4, 5, 8, 9. from which
 Auger 30 in dia bore S 47 N. 27 miles dist; 10
 Lg 15 " " " S 58 N. 31 " "
 Sands &c same as on the last mile;

East On a Random line between Sec. 4 & 9
 2.50 To a Brook 10 miles dist; E. South.
 46.00 Got a timber post for the cor. to 1/4 Sec
 79.58 Intersected the N. & S. line 12 miles E of the first post
 for the cor. to Sec. 3, 4, 9, 10.
 Sands, Soil, timber, &c same as on the last mile.

West On a true line between Sec. 4 & 9.
 39.79 Got the timber post at the cor. East on the true line
 for the cor. to 1/4 Sec. from which a
 Buck 3 in. dia bore N 55 W. 8 miles dist; 10
 Lg 30 " " " S 42 N. 13 " "
 79.58 To the first post for the cor. to Sec. 4, 5, 8, 9

North On Between Sec. 4 & 5
 46.00 Got a post for the cor. to 1/4 Sec from which a
 Auger 10 in. dia bore S 53 E 17 miles dist; 10
 Buck 36 " " " West 17 " " "
 57.50 To a N Oak 24 in dia in the line
 75.80 Intersected the N. & S. boundary 261 miles East of the
 cor. for 32, 33. T. N. 9 N. R. M. 17. & got a post
 for cor. to Sec. 4 & 5 from which a
 Auger 10 in dia bore S 10 N. 10 miles dist; 10
 Lg 5 " " " N 39 N. 8 " "
 Sands Soil timber &c same as on the last mile

North Between Sec. 31 & 32

7 N. 8 N. N. N. 177. 2nd Rev. Ind.

- 40.00 Set apart for the cor. to Jew. from which a
line 8 mi. due bears N 59 E. 21 miles east & a
do 12 " " " N 57 W. 7 " "
45.00 To a Brook 4 miles wide; Course W.
75.00 " " " " " " D.W.
80.00 Set apart for the cor. bet. 29, 30, 31 & 32
from which are
Innwoods G. S 75 W. 14
Elev G N 76 W 29
Under the name

East On a Random line between Oct. 29, 1832

- .50 To a Brook 75th St. South.
4.50 " " " 10 " " N.W.
40.00 Got a temporary post for the cor. @ 14 sec.
67.50 To a Spring; Course N.
80.00 Intersected the N.E. line 36 Sides North of the
Post for cor to sec. 28, 29, 32, & 33.
Sands same as on the last side

West On the true line between Sta. 29.132

- 40.00 Set the temporary post at the av. dist; on the true
line for the cor to 14 sec. From which a —
8 in dia beam S 70 E 28 miles dist; 10 —
10 " " " S 10 W. 22 " "

Nath. Putnam Dec. 29, 1830

- 27.50 To Spring Brook; Course E.
40.00 Set a post for the cor. to 14 sec. from which a
Sugar 12 mi. dia bears S 23 W. 37 miles distant
then 20 n n - N 6 E. 59 n -
46.50 To Spring Brook 4 Mts wide; Course E.
80.00 Set a post for the cor. to sec. 19, 20, 29 & 30
from which a Sugar 8 mi. dia bears N 45 E. 43 Mts
distant to which 15 n n - S 21 W. 54 n

I. N. & H. N. No 177. 2nd Mer. (Ind. 2)

dist ant; Land the same as on the last mile.

East On a Random line between Sep. 24 & 29
40.00 Set a trap for the cor. to 1/4 Sec
54.50 To a Brook 30 miles wide; Course S. W.
78.62 Intersected the N & S line at Sec. cor.
Land the same as on the line.

West On the true line between Sep. 20 & 29
39.31 Set the trap for the cor. at the aver. dist; on the true
line for the cor. to 1/4 Sec. from which a
Buck 15 in dia bears N 67 E 10 miles dist; & a
Sage 5 " " " " N 63 W 22 " "
78.62 Sec. corner

North Between Sep. 19 & 20
40.00 Set a post for the cor. to 1/4 Sec. from which a
Sage 10 in dia bears N 45 W. 8 miles dist; & a
do 15 " " " " N 44 E 28 " "
80.00 Set a post for the cor. to Sep. 17, 18, 19, 20.
from which a Buck 12 in dia bears N 49 W 46.
do 8 " " " " N 43 E 25
Land the same as on the last mile.

East Between Sep. 17 & 20 On a Random
1.00 To a Brook 12 miles wide; Course S.
40.00 Set trap for the cor. to 1/4 Sec.
72.00 To a Brook 20 miles wide; Course S. W.
78.40 Intersected the N & S line 12 miles N of the cor
Land the same

West On a true line between Sep. 17 & 20
39.20 Set the trap for the cor. at the aver. dist. on the true
line for the cor. to 1/4 Sec. from which a
Buck 30 in dia bears N 47 E 18 miles dist; & a
Sage " " " " N 39 W 19 " "

T. N. 8 N. R. N. 1 W. 2nd Mer. (Ind. 2)

78.40 To the first set for the cor. to sec. 17, 18, 19 & 20

North Between Sec. 17 & 18 T. N. 8 N. R. 1 W.

10.00 To a Barole 12 links wide Corra 4 W

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 15 in. dia bears N 57 E. 11 links dist; & a
Buck 8 " " " S 83 W 09 " "80.00 Set a post for the cor. to sec. 7, 8, 17, 18. T. N. 8
N. R. N. 1 W. from which a

Sugar 8 in dia bears N 49 W. 4 links dist; & a

Ho 4 " " " N 47 E. 18 " "

Sands, soil timber & so forth same as on the last mile;

East On a Random line between Sec. 5 & 8. T. 8 N. R. 1 W.

40.00 Set a tamped post for the cor. to 1/4 sec

79.71 Intersected the N. & S. line 65 links N. of sec. cor for
4, 5, 8, 9.

West On a true line between Sec. 5 & 8. T. N. 8 N. R. 1 W.

39.85 1/2 Set the tamped post at the aurr dist; on the true
line for the cor. to 1/4 sec. from which a
Sugar 15 in. dia bears N 24 W. 17 links dist; & a
W. Walnut 30 " " " S. 2 E. 46 " "

79.71 To the first set for the cor. to sec. 5, 6, 7, 8.

North Between Sec. 5 & 6 T. N. 8 N. R. N. 1 W.

40.00 Set the post for the cor. to 1/4 sec. from which a
Gum 5 in. dia bears S 5 W. 15 like dist; and a
Ho 12 " " " S 68 W. 13 " "73.56 Intersected the N. & S. line 280 links E. of the
cor for sec. 31 & 32 T. N. 9 N. R. N. 1 W. from which
Sugar 12 in. dia bears S 85 W. 10 links dist; & a
Buck 5 " " " N 72 E. 13 " "
Sands, soil, timber same as on the last mile;

West Between Sec. 6 & 7 T. N. 1 W.

East On a Random line between Sec. 8 & 17 T. N. 8. R. 17 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.30 Intersected the N. 1/2 line 36 miles South of the post
 Set for the cor. to Sec. 8, 9, 16, & 17
 Same soil and timber same as on the last mile;

West On the true line between Sec. 8 & 17 T. N. 8. R. 17 W.
 39.65 Set the temporary post at the av. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 8 in. dia. trees 176 W. 14 miles dist; 8
 do 5 " " " N 84 E. 18 " "
 79.30 To the post set for the cor. to Sec. 7, 8, 17, 18.

North Between Sec. 7 & 8. T. N. 8. R. 17 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 18 in. dia. trees 19 W. 16 miles dist;
 W. Oak 24 " " " N 42 W. 11 " "
 74.50 To a Brook 20. miles wide; Course East
 80.00 Set a post for the cor. to Sec. 5, 6, 7, & 8 from which
 a Sugar 12 in. dia. trees N 68 W. 25 miles dist; 5
 do 8 " " " S 70 E. 10 " "
 Same soil and timber same as in the last mile.

T. N^o 8 N. R. N^o 1 W. 2nd Mer. (Qua.)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 8 in. dia. bears S 12 E. 21 links dist; & a
Buck 18 " " " N 61 W 40 " "
- 64.00 To a Brook 10 links wide; corner S.E.
- 81.70 Intersected the W. Boundary 26. links N. of the cor. to
Sec. 1 & 12 T. N^o 8 N. R. N^o 2 W. & set a post for
the cor. to Sec. 6 & 7. from which a
Hick 10 in. dia. bears S 9 W. 17 links dist; & a
Logwood 3 " " " N 55 E 12 " "
Sands soil and timber same as on the last mile

West On a true line between Sec. 7 & 18 T. N^o 8 N. R. N^o 1 W.

- 30.00 To a Brook 15 links wide; corner S.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 10 in. dia. bears S 11 E. 16 links dist; & a
Hick 10 " " " N 54 W 35 " "
- 70.00 To a W. Oak; 15 in. dia. Stand in the line.
- 81.97 Intersected the W. Boundary of T. N^o 8 N. R. N^o 1 W
196 links South of the post set for the cor. to Sec.
12 & 13. T. N^o 8 N. R. N^o 2 W. & set a post from
which a Sugar 15 in. dia. bears S 5 E. 6 links dist; &
a Logwood 2 " " " N 1 W. 5 " "
Sands the same as in the last mile.

West On the true line between Sec. 18 & 19. T. N^o 8 N. R. N^o 1 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 15 in. dia. bears. N 54 W. 11 links dist;
& a Lo 8 " " " S 24 E 18 " "
- 83.40 Intersected the West. Boundary of T. N^o 8 N. R. N^o 1 W
at the post set for the cor. to Sec. 13 & 24 T.
N^o 8 N. R. N^o 2 W.

West On a true line between Sec. 19 & 30. T. N^o

- 40.00 Set a post for the cor. to Sec. from which a
Buck 18 in. dia. bears East 12 links dist; & a

T. N^o 8 N. R. N^o 1 W. 2nd Mer. (Ind.)

W. Oak 18 in. dia bears N 48 W. 10 links dist; ~~to~~
 84.00 Intersected the N. Boundary of T. N^o 8 N. R. N^o 1 W
 42 lks South of the first set for the cor. to Sec.
 24 & 25 T. 8 N. R. 2 W. and set a post for the
 cor. to Sec. 19 & 30 T. N^o 8 N. R. N^o 2 W. from
 which a Sugar 10 in. dia bears N 32 W. 3 lks dist;
 and a Do 8 " " " S 7 W. 20 " "
 Sand found as in the last mile;

West On a true line between Sec. 30 & 31.

40.00 Set a post for the cor. to 1/4 sec from which
 a Sugar 10 in dia bears S 83 E. 9 links dist
 & a Buck 10 " " " N 83 W. 14 " "

41.00 To a Brook. (Spring) corner S.

49.00 To a Brook 20 in. dia. corner S. E.

83.00 Intersected the N. Boundary of T. N^o 8 N. R. N^o
 1 W. 2nd Mer. 31 links S. of the post the post
 set for the cor. to Sec. 25 & 36 T. N^o 8 N. R. N^o
 2 W. & set a post for the cor. to Sec. 30 & 31. T.
 N^o 8 N. R. N^o 2 W. from which a
 Buck 10 in. dia bears N 68 E. 11 links dist; & a
 Do 8 " " " S 16 E. 16 " "
 Sand soil timber to same as in the last mile.

Surveyed by
 Arthur Henry L.S.

I certify that the foregoing transcript of the field notes
 of Township N^o 8 North of Range N^o 1 West of the 2nd
 Mer. Indiana has been compared with the Original
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati Nov. 14. 1839

E. S. Leary
 Sur. Genl.